



Barbari
 665 N Tillamook St.
 Portland, OR 97227
www.barbarishop.com



Self Centered (04292023)

Order ID#: 20210429-834 **Lab Code#:** LC-20210429-2134
Product Type: Beverage **Sample date:** 30-Apr-2021
Serving weight (g): 2.5 **Date received:** 4-May-2021
Servings per unit: 10 **Completed:** 11-May-2021
Lot/Batch: 04292023 **Report expires:** 11-May-2022

SAFETY ANALYSIS

| | | | | |
|---------------------------|---------------------------|-----------------------|---------------------------|-------------------------|
| PASS Microbials | PASS Mycotoxins | PASS Metals | PASS Pesticides | PASS Solvents |
|---------------------------|---------------------------|-----------------------|---------------------------|-------------------------|

CANNABINOIDS

Analysis Batch: WO-21050412
Analysis Date: Friday, May 07, 2021

Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33


| Analyte | % ^a | mg/serving | mg/unit |
|-------------------|----------------|---------------|--------------|
| THCA-A | 0.0111 | 0.2764 | 0.6910 |
| Δ9-THC | 0.0050 | 0.1238 | 0.3095 |
| CBDA | ND | ND | ND |
| CBD | 0.495 | 12.38 | 123.8 |
| CBN | ND | ND | ND |
| CBDV | ND | ND | ND |
| Δ8-THC | ND | ND | ND |
| THCV | 0.0053 | 0.1314 | 0.3285 |
| CBG | 0.0224 | 0.5603 | 1.401 |
| CBGA | ND | ND | ND |
| CBC | 0.0022 | 0.05573 | 0.1393 |
| Total THC: | 0.015 | 0.3662 | 3.662 |
| Total CBD: | 0.495 | 12.38 | 123.8 |
| Total: | 0.541 | 13.53 | 126.7 |

Total THC^b
ND

Total CBD^c
12.4
 mg/serving

Total^d
13.5
 mg/serving

Profile (mg/serving)



^a Detection Level = 0.0015% by dry-weight.
^b Total THC is calculated as %THC + (%THCA × 0.877).
^c Total CBD is calculated as %CBD + (%CBDA × 0.877).
^d Absolute sum of all cannabinoids above the level of detection.

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 11-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



Barbari
 665 N Tillamook St.
 Portland, OR 97227
www.barbarishop.com



Self Centered (04292023)

| | | | |
|---------------------|---------------------|-----------------|------------------|
| Order ID#: | 20210429-834 | Lab Code#: | LC-20210429-2134 |
| Product Type: | Beverage | Sample date: | 30-Apr-2021 |
| Serving weight (g): | 2.5 | Date received: | 4-May-2021 |
| Servings per unit: | 10 | Completed: | 11-May-2021 |
| Lot/Batch: | 04292023 | Report expires: | 11-May-2022 |

MICROBIAL CONTAMINANTS

| | | | |
|------------------------|----------------------|---------------------|-------------------------------|
| Analysis Batch: | WO-21050408 | Test Method: | SOP 6.11 |
| Analysis Date: | Friday, May 07, 2021 | Instrument: | Agilent AriaMX, Instrument 38 |

| TEST | REPORT | RESULT | SPECIFICATION |
|-------------------------------------|--------|-------------|--------------------|
| Shiga toxin-producing E.coli (STEC) | Pass | Not present | Not present in 1 g |
| Salmonella | Pass | Not present | Not present in 1 g |
| Listeria | Pass | Not present | Not present in 1 g |

MYCOTOXINS

| | | | |
|------------------------|-------------------------|---------------------|---------------------------------|
| Analysis Batch: | WO-21050411 | Test Method: | SOP 6.7 |
| Analysis Date: | Wednesday, May 05, 2021 | Instrument: | Agilent LC-MS/MS, Instrument 32 |

| ANALYTE | REPORT | RESULT | ACTION LIMIT | LOD | UNIT |
|------------------|--------|--------|--------------|-------|------|
| Aflatoxin, Total | Pass | ND | 0.020 | 0.005 | µg/g |
| Ochratoxin A | Pass | ND | 0.020 | 0.005 | µg/g |

* Total Aflatoxin includes B1, B2, G1 and G2.

HEAVY METALS

| | | | |
|------------------------|----------------------|---------------------|-------------------------------|
| Analysis Batch: | WO-21050410 | Test Method: | SOP 6.10 |
| Analysis Date: | Friday, May 07, 2021 | Instrument: | Agilent ICP/MS, Instrument 37 |

| ELEMENT | REPORT | RESULT | ACTION LIMIT | LOD | UNIT |
|---------|--------|--------|--------------|-------|------|
| Lead | Pass | 0.201 | 0.50 | 0.050 | µg/g |
| Arsenic | Pass | ND | 1.5 | 0.050 | µg/g |
| Mercury | Pass | 0.006 | 3.0 | 0.005 | µg/g |
| Cadmium | Pass | ND | 0.50 | 0.050 | µg/g |

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 11-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



Barbari
 665 N Tillamook St.
 Portland, OR 97227
www.barbarishop.com



Self Centered (04292023)

Order ID#: 20210429-834 Lab Code#: LC-20210429-2134
Product Type: Beverage Sample date: 30-Apr-2021
Serving weight (g): 2.5 Date received: 4-May-2021
Servings per unit: 10 Completed: 11-May-2021
Lot/Batch: 04292023 Report expires: 11-May-2022

PESTICIDES

| Analyte | Action Level | Result (µg/g) | Analyte | Action Level | Result (µg/g) |
|---------------------|--------------|---------------|--------------------|--------------|---------------|
| Abamectin | 0.30 | ND - Pass | Hexythiazox | 2.00 | ND - Pass |
| Acephate | 3.00 | ND - Pass | Imazalil | 0.10 | ND - Pass |
| Acequinocyl | 2.00 | ND - Pass | Imidacloprid | 1.00 | ND - Pass |
| Acetamiprid | 3.00 | ND - Pass | Kresoxim methyl | 1.00 | ND - Pass |
| Aldicarb | 0.10 | ND - Pass | Malathion | 3.00 | ND - Pass |
| Azoxystrobin | 3.00 | ND - Pass | Metalaxyl | 0.10 | ND - Pass |
| Bifenazate | 3.00 | ND - Pass | Methiocarb | 0.10 | ND - Pass |
| Carbaryl | 0.50 | ND - Pass | Methomyl | 0.10 | ND - Pass |
| Carbofuran | 0.10 | ND - Pass | Mevinphos (I/II) | 0.10 | ND - Pass |
| Chlorantraniliprole | 3.00 | ND - Pass | Myclobutanil | 3.00 | ND - Pass |
| Chlorfenapyr | 0.05 | ND - Pass | Naled | 0.50 | ND - Pass |
| Chlorpyrifos | 0.10 | ND - Pass | Oxamyl | 1.50 | ND - Pass |
| Coumaphos | 0.10 | ND - Pass | Phosmet | 0.20 | ND - Pass |
| Cypermethrin | 1.00 | ND - Pass | Piperonyl butoxide | 3.00 | ND - Pass |
| Daminozide | 0.10 | ND - Pass | Prallethrin | 0.40 | ND - Pass |
| Diazinon | 0.20 | ND - Pass | Propiconazole | 1.00 | ND - Pass |
| Dichlorvos | 0.10 | ND - Pass | Propoxur | 2.10 | ND - Pass |
| Dimethoate | 0.10 | ND - Pass | Pyrethrins | 1.00 | ND - Pass |
| Dimethomorph (I/II) | 3.00 | ND - Pass | Pyridaben | 3.00 | ND - Pass |
| Ethoprophos | 0.10 | ND - Pass | Spinetoram (J/L) | 3.00 | ND - Pass |
| Etofenprox | 0.10 | ND - Pass | Spinosad A + D | 3.00 | ND - Pass |
| Etoazole | 1.50 | ND - Pass | Spiromesifen | 3.00 | ND - Pass |
| Fenhexamid | 3.00 | ND - Pass | Spirotetramat | 3.00 | ND - Pass |
| Fenoxycarb | 0.10 | ND - Pass | Spiroxamine (I/II) | 0.10 | ND - Pass |
| Fenpyroximate | 2.00 | ND - Pass | Tebuconazole | 1.00 | ND - Pass |
| Fipronil | 0.10 | ND - Pass | Thiacloprid | 0.10 | ND - Pass |
| Flonicamid | 2.00 | ND - Pass | Thiamethoxam | 1.00 | ND - Pass |
| Fludioxonil | 3.00 | ND - Pass | Trifloxystrobin | 3.00 | ND - Pass |

Analysis Batch: WO-21050411
Analysis Date: Wednesday, May 05, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 11-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



Barbari
 665 N Tillamook St.
 Portland, OR 97227
www.barbarishop.com



Self Centered (04292023)

| | | | |
|---------------------|---------------------|-----------------|------------------|
| Order ID#: | 20210429-834 | Lab Code#: | LC-20210429-2134 |
| Product Type: | Beverage | Sample date: | 30-Apr-2021 |
| Serving weight (g): | 2.5 | Date received: | 4-May-2021 |
| Servings per unit: | 10 | Completed: | 11-May-2021 |
| Lot/Batch: | 04292023 | Report expires: | 11-May-2022 |

RESIDUAL SOLVENTS

Analysis Batch: WO-21050409
Analysis Date: Wednesday, May 05, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

| Analyte | Action Level | Result (µg/g) |
|--------------------|--------------|---------------|
| 1,2-Dichloroethane | 5 | ND - Pass |
| Acetone | 5000 | ND - Pass |
| Acetonitrile | 410 | ND - Pass |
| Benzene | 2 | ND - Pass |
| Butane | 2000 | ND - Pass |
| Chloroform | 60 | ND - Pass |
| Ethanol | 5000 | 2529 - Pass |
| Ethyl Acetate | 5000 | 21.22 - Pass |
| Ethyl Ether | 5000 | ND - Pass |
| Ethylene Oxide | 5 | ND - Pass |

| Analyte | Action Level | Result (µg/g) |
|--------------------|--------------|---------------|
| Heptane | 5000 | ND - Pass |
| Hexane | 290 | ND - Pass |
| Isopropyl Alcohol | 500 | ND - Pass |
| Methanol | 3000 | 101.4 - Pass |
| Methylene Chloride | 600 | ND - Pass |
| Pentane | 5000 | ND - Pass |
| Propane | 2100 | ND - Pass |
| Toluene | 890 | ND - Pass |
| Trichloroethylene | 80 | ND - Pass |
| Xylenes, Total | 2170 | ND - Pass |

Comments:

None.

Authorization



Steven Perez, Laboratory Director
 Approval Date: 11-May-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -